

T. 3, R. 3 W. 1st Mer.

Indian Boundary 205

197	197	195	195	195	196
6	5	4	3	2	1
219	217	216	216	215	215
7	8	9	10	11	12
213	212	212	211	210	210
18	17	16	15	14	13
220	220	222	222	221	221
19	20	21	22	23	24
206	206	207	208	208	209
30	29	28	27	26	25
224	224	226	225	228	228
31	32	33	34	35	36
199	199	199	198	198	197

not run

T. 4, R. 3 W. 1st Mer.

Meanders 250

Ind. Boundary 238

232	232	232	231	231
5	4	3	2	1
266	264	264	262	262
8	9	10	11	12
245	244	243	243	243
17	16	15	14	13
258	259	259	261	260
20	21	22	23	24
249	248	248	241	241
29	28	27	26	25
258	257	255	254	253
31	32	33	34	35
235	235	233	233	234

T. 3. R. 3. W. 1st Mer.Township No. 3. Range No. 3. West of Mitchell
Indiana

North Boundary of T. No. 3. R. No. 3. W. of Mer.
1st Mile East from cor. of Sec. 4 & 5. T. 3. R. 3. W.

- 2.98 a Hickory 26 ins. dia.
41.63 a gutter bears South into a little stream that me-
anders on and near the line to $57^{\circ} 50'$ thence bears N.E.
48.29 a Hickory 18 ins. dia.
56.26 a stream 6 lks. wide, bears N.W.
62.86 a Spanish Oak 28 ins. dia.
80.00 a post corner of Sec. (No. 3 & 4 Town 3 — from
which an ash 8 ins. dia. bears $N 68^{\circ} 43' 39''$ W. dis.
Va White Oak 40 " " " $S 62^{\circ} 23'$ " "
This mile 3rd rate land, a strong clay soil fit for
the production of small grain. Timber generally
Oak, Poplar, maple, Hickory, Beech, ash, Gum
of different kinds — much. 1 Beech, ash & Dogwood
saplings & many green briars

East 2nd Mile East

- 7.66 a stream 8 lks. wide bears N. West
27.97 a White Oak 36 ins. dia.
44.58 a " " 16 " "
63.70 a " " 16 " "
78.9 Intersected the line run North from the cor.
of Sec. (No. 10, 11, 14 & 15. Town 3 — 27 lks. South
of the measure, there established a post corner
of Sec. (No. 2 & 3. Town 3 Range 3. W. — from
which a White Oak 26 ins. dia. bears $N 63^{\circ} 1'$ W.
& a maple 6 ins. dia. bears $S 61^{\circ} 6'$ — This
mile level clay land 3rd rate, very wet, proper
for meadow & pasture lands, but too wet for
cultivation

East 3rd Mile East

S. B. R. 3. N. 1. 1st Mer.

- 4.55 a White Oak 20 ins. dia. on St. of a stream 5 lbs. wide, bearing East near the line
- 14.20 a Spanish Oak 16 ins. dia.
- 17.25 same stream as above mentioned 10 lbs. wide, bears S. E.
- 33.16 a White Oak 36 ins. dia
- 38.22 a stream 20 lbs. wide, bears St. but little water
- 47.00 a Poplar 21 ins. dia - level land
- 60.44 a Gum 18 " "
- 77.00 a point between the water courses bears S. E. no water
- 80.00 a point between corner of Sec. (No. 1 & 2) Town 3, from which a Hickory 14 ins. dia. bears North 24 lbs. dis. & a Black Oak 15 ins. dia. bears S. W. 60 lbs. dis. - This mile has farming land and meadow land in proportion, some few ridges (but moderate) Minster Oak. Ash. Aspen. Hickory, Poplar, Gum & many saplings & green briars

East

4th Mile East

- 35.75 a gutter - bears South little water
- 39.77 a maple 7 ins. dia. level wet land
- 41.32 a forked White Oak 28 ins. dia
- 64.76 a stream 10 lbs. wide bears S. E. but little water
- 65.50 Intersected the line ran South from corner of Towns 3 & 4 Range 3 & corner of Towns 2. & 3 Range 2 N. 12.30 lbs. South of the said corner, here fixed a point, between Sec. (No. 1. Town 3 & Sec. 36 Town 4 Range 3 - from which a White Oak 7 ins. dia. bears S. 39 E 20 lbs. dis. & a Hickory 9 " " " " N 46 W 16 " "
- This fraction 3rd rate land, level clay soil, fit for farming, with much fine meadow land timbered as the mile preceding
- Marked the trees by the plan

Commenced 1st mile West from corner of

D. B. B. W. 1st Mer.

- Sec. (No. 4 & 5. Down 3 Range 3 W. of the Mer
- 5.31 a gutter bears South, no water
- 25.63 a stream bears South, but little water
- 32.20 a stream 7 lbs. wide bears S.E. but little water
- 41.78 a Black Oak 30 ins. dia. level land & fine timber
- 72.22 a Water course bears South, no water
- 77.75 Indian creek bearing S. East - a handsome stream
35 lbs. wide
- 80.00 a post corner of Sec. (No. 5 & 6 Down 3 Range 3
from which a Sugar tree 9 ins. dia. bears N.W.
16 lbs. dis. & a Sugar tree 10 " " " S.E.
17 lbs. dis. This mile level handsome farming land
3^d rate (but good), timber Ash, Oak, Poplar, Buck,
Sugar tree, Gum, Hickory, much sapling timber,
and green pines -

West 2nd Mile West

- 5.50 a Buck 18 ins. dia. on E. bank of creek
- 6.18 Indian creek 100 lbs. wide bears S.E. -
- 11.00 same creek 60 " " " S.E.
- 41.00 a gutter bears N. no water
- 42.68 Indian Boundary - here fixed a post, between
Sec. No 6 Down 3 & Sec. 31 Down 4 Range 3 -
from which a Hickory 11 ins. dia. bears S.E.
32 lbs. dis. & a White Oak 28 ins. dia. bears N.E.
19 lbs. dis. This fraction much broken, the soil
and timber the same as the mile preceding
This post stands ^{Chs. Ws.} S. 80 North of the 13th mile
post from the mouth of the Kentucky river

- South Boundary of D. No. 3 R. No. 3 & W.
- West 1st Mile West from the South East corner
- 7.97 an Elm 8 ins. dia. on the W. of a large ridge
- 23.00 a Branch of Plum-b-lick creek 50 lbs. wide, bears
S. East - no water
- 37.20 an ash 18 ins. dia

D. J. R. B. W. 1st Mer.

- 45.00 Same branch as before bears North
 58.00 a Buck 14 ins. dia
 80.00 a post from which a Sugar tree 9 ins. dia. bears S 50 W 34 lbs. dis. & another 8 ins. dia. bears N 18 E 45 lbs. dis. — This mile all ridges 1st rate land, with abundance of Ash, Beech, Elm, Poplar, Walnut, Sugar tree, Money Locust, Lignum &c — and much Spice

West 2nd mile West

- 10.00 a Water course 8 lbs. wide, bears S. no water
 19.14 a Buck 48 ins. dia
 51.41 an Ash 24 .. "
 67.32 a Wagon Road bearing S. E & W. N
 70.50 a Sugar tree 6 ins. dia
 71.60 a creek bearing S 25 E, but little water 500 lbs. wide
 80.00 a post from which a Hackberry 8 ins. dia. bears S 74 E 13 lbs. dis. & a Lignum 20 ins. dia. bears S 69 W 26 lbs. dis. — This mile 1st rate land with fine timber as before enumerated with abundance of Spice, brush & some pines

West 3rd mile West

- 8.25 a Spanish Oak 26 ins. dia. on the E. bank of Indian creek bearing N 45 E frozen over
 15.00 West bank of the creek, in a Buck bottom
 26.75 a Blue Ash 18 ins. dia.
 38.00 Same creek on East side bears S. 2.50 lbs. wide
 42.73 a Sugar tree 5 ins. dia
 46.00 a Water course 8 lbs. wide bears E. no water
 48.76 a Buck 15 ins. dia.
 69.50 a Do 36 .. "
 80.00 a post from which a Buck 7 ins. dia. bears South 29 lbs. dis. & another of same diameter bears N 6 E 20 lbs. dis. — This mile 1st rate land, some level land on the creek, the remainder

J. 3 R. 3 W. 1st Mer.

very broken, timber Ash, Walnut, Beech, Sugar,
Poplar—under brush, Spice & green briars

West 4th Mile West

- 8.11 a Beech 10 ins. dia
33.42 a Do 14 " "
39.26 a Hickory 12 " "
47.50 a Water course 8 fms. wide bears S. no water
57.24 a Sugar tree 26 ins. dia
76.00 a Water course 10 fms. wide bears S. East—no
water running
80.00 a post from which a Beech 10 ins. dia. bears
N 70° W 24 fms. dis. & a Beech 8 " " "
48° 20 fms. dis. This mile 2nd rate land, moderate
ridges—fit for the production of all kinds of
small grain—The timber & underbrush as the
preceding mile

West 5th Mile West

- 4.26 a Blue Ash 6 ins. dia
26.75 a Water course 6 fms. wide, bears S. W. no water
28.79 a Lyrus tree 18 ins. dia
31.25 a Water course 8 fms. wide, bears S. no water
42.50 a " " 8 " " " S. no water
56.25 another 10 fms. wide } they join 50 fms. South
57.50 another 25 fms. wide } of the line, no water
68.80 another 6 fms. wide, bears S. East, no water
80.00 a post from which an Elm 15 ins. dia. bears
N 42° W 21 fms. dis. & a Beech 18 " " "
42° 43 fms. dis. This mile all ridges and
deep gutters or water courses—Land 2nd rate, with
abundance of ash, Oak, Beech, Sugar tree, Hickory
Walnut, Lyrus &c. (Under brush Spice

West 6th Mile West

- 1.23 an Elm 26 ins. dia.

T. 3. R. 3. W. 1. Mer.

- 7.91 a Buck 24 ins. dia
 21.10 a Water course 10 lbs. wide, bears S. (no water)
 27.9 a Buck 28 ins. dia.
 36.00 a Water course 30 lbs. wide, bears S.E. (no water)
 66.80 a White Oak 36 ins. dia
 70.18 a Buck 10 " "
 80.00 a post corner of Townships No. 2 & 3 R. 3 & 4
 West from which a Sugar tree 22 ins. dia. bears
 N 44° W 65 lbs. dia. & a Hackberry " " "
 N 66° E 17 lbs. dia. This mile 3rd rate land of the
 best quality & will admit of handsome farms,
 capable of producing good small grain, flax,
 hemp &c. Simbered as the preceding, Ash & Birs

East Boundary of T. No. 3 R. No. 3 W.
 South 1st Mile South from the S.E. corner

- 0.50 a Water course 16 lbs. wide, bears E. (no water)
 37.67 a White Oak 20 ins. dia
 80.00 a post from which a White Oak 20 ins. dia.
 bears N 78° W 46 lbs. dia. & another 18 " "
 " N 78° E 56 lbs. dia. This mile uniformly a
 White Oak flat - Land 3rd rate, clay soil, grows
 Poplar, Gum, Hickory, - under brush Dogwood
 Hackberry bushes & Briers &c.

South 2nd Mile South

- 24.32 a White Oak 24 ins. dia. a small Water course
 bears South on the East of the line
 40.25 (No paid water course) bears S. W. 8 lbs. wide, no water
 52.25 a Water course 8 lbs. wide bears W. (no water)
 80.00 a post, from which a Hickory 14 ins. dia. bears
 N 66° E 36 lbs. dia. & a White Oak 18 " " "
 N 66° E 42 lbs. dia. This mile gentle ridges, land
 3rd rate. of the best quality, Simber Oak, Buck,
 Ash, Poplar, Gum, Hickory & Sugar tree
 Marked the trees by the plan

J. 3 R. 3 N. 1st Mer.

South

3rd Mile South

- 29.25 a Water course 50 lbs. wide, bears W. no water
 59.94 a White Oak 40 ins. dia.
 80.00 a post from which a Beech 12 ins. dia. bears
 S 8 W 21 lbs. dis. and another of the same dia.
 bears N 3 E 14 lbs. dis. This mile like the
 preceding only more Beech timber.

South

4th Mile South

- 42.00 Two small Water courses join 100 lbs. off the line,
 run East, no water
 50.3 a Yellow Locust 12 ins. dia.
 68.6 a Blue Ash 14 ins. dia.
 80.00 a post from which a Sugar tree 6 ins. dia. bears
 S 8 W 21 lbs. dis. & a Hickory 8 ins. dia. bears
 N 60 E 8 lbs. dis. This mile all ridges & deep gutters
 the land I rate with Ash, Oak, Sugar tree, Elm,
 Beech & Locust timber & much Spruce
 marked by the plan.

South

5th Mile South

- 2.48 a Hickory 26 ins. dia.
 23.36 a Poplar 36 " "
 54.50 a W. Oak 14 " "
 71.50 a forked Spruce 60 ins. dia.
 78.00 a Water course 50 lbs. wide bears S. E. no water
 80.00 a post from which a Sugar tree 10 ins. dia.
 bears S 8 W 31 lbs. dis. & a " " 3 " "
 " N 66 E 18 lbs. dis. This mile much broken
 all ridges & gutters, land I rate with fine
 timber as before enumerated

South

6th Mile South

- 8.00 a Hackberry 8 ins. dia.
 28.38 a Honey Locust 28 ins. dia.

S. 3. R. 3. W. 1st Mer

- 42.18 a Buck 14 ins. dia — on a Buck ridge
 68.00 Intersected the line run West, from corner
 of Townships 1 & 2 R. 1 & 2 West, 10.80
 West of the corner of Townships 1 & 2 R. 2.
 When on Loughorn creek I got my compass
 bent by a fall and got another which I
 know to be affected by the severe frost —
 I have now got my former one righted, but
 owing to the advanced season and severity
 of the weather I find it impossible to
 run them over — At the intersection fixed
 my post from which a White Oak 16 ins.
 dia. bears N 31° E 21 hrs. dis. & a Mulberry 6 ins.
 " " S 41° W 1 link — This mile 1st rate
 land, large ridges & deep gutters, Linden Oak
 Oak, Sugar tree, Beech, Elm, some Yellow
 Locust, Hickory Poplar & much Spruce under
 brush & some briars — Marked the trees by
 the plan —

-
- West Boundary of S. No. 3 R. 3 W.
 North, 1st mile north from the S. W. corner
 8.30 a Hackberry 40 ins. dia
 17.59 a White Oak 22 ins. dia, bears S 11° W
 37 hrs. distant and
 21.50 a Water course 10 hrs. wide bears E. no water
 26.25 a White Oak 36 ins. dia
 30.40 a Water course 8 hrs. wide, bears E. no water
 44.00 a " " 10 " " " E. " "
 45.91 a Black Walnut 26 ins. dia
 77.25 Junction of two water courses 8 hrs. wide,
 bears East, no water
 80.00 a post from which a Buck 10 ins. dia. bears
 S 11° W 37 hrs. dis. & another Buck 11 ins. dia.
 bears S 22° E 26 hrs. dis. This mile 1st rate
 land, moderate ridges, fit for the production

T. 3 R. 3 N. 1. 1/2 Mer.

of small grain, hemp, flax &c. Similar Ash,
Oak, Elm, Walnut, Beech, Sugar tree, Yellow
Locust, Green Poplar &c. Spruce & Pines

North 2nd (1 mile North)

- 44.38 an Elm joined to a Beech, each 20 ins. dia
 44.25 a Water course 12 Mts. wide bears E. no running water
 34.35 a 12 E Do.
 44.11 a Poplar 50 ins. dia.
 53.00 a Black Oak 40 ins. dia
 56.00 a Water course 5 Mts. wide bears E. no water
 64.26 a Lyrus 18 ins. dia
 80.00 a post from which an Ash 14 ins. dia. bears
 N 37 1/2 E 45 Mts. dis. Van Elm 5 ins. dia. bears
 S 58 1/2 W 24 Mts. dis. From the beginning of
 this mile for 30 Mts. the land 1st rate, from thence
 to this corner 2nd rate. moderate ridges fit for
 cultivation timbered as the preceding mile —
 Underbrush Spruce & Pines — Marked the trees
 by the plan. [This line was run no farther.

Indian or part of West Boundary of
 Township No. 3 Range No. 3 West of Mer.
 commenced at the 10th mile first on the
 Indian Boundary line which was run from
 the North bank of the Ohio opposite the mouth
 of Kentucky River to Fort Recovery
 Course N 5.25 E

11th (1 mile)

- 9.00 crossed a creek 30 Mts. wide runs S 60 E
 5.00 begin to ascend a hill
 10.50 Rose a hill & begin to descend
 15.00 crossed a water course descending N.E.
 20.11 a Hickory 20 ins. dia, rose the eminence & begin
 to descend —
 30.00 a creek 30 Mts. wide runs S. East

S. 3 R. 3 W. 1st Mer.

- 47.00 Pass a ridge bearing N. E & S. W. poor land
Oak & Hickory timber
- 59.00 Crossed a Water course descends West
- 64.57 a Hickory 12 ins. dia
- 73.50 a Water course descends West
- 80.00 a post from which a Sugar tree 6 ins. dia. bears
S 53 W 17 lbs. dia. & a Lyrus 12 ins. dia. bears N 61 E
4 lbs. dia. Not the Sugar tree No. 11 — along this
mile is generally thin land & broken ^{with} hills. timber
Oak, Hickory some White Ash & Sugar tree.

12th Mile

- 12.84 a Sugar tree 12 ins. dia.
- 27.50 a White Oak 20 ins. dia. land pleasant for cultivation
- 57.30 a White Oak 16 ins. dia.
- 80.00 a post, from which a maple 16 ins. dia. bears
N 10 W 42 lbs. dia. & a Poplar 30 ins. dia. bears
N 54 E 29 lbs. dia. Good level good farming land.
tall Poplar White Oak & Hickory timber

13th Mile

- 23.00 a Water course descends East
- 23.59 a Sugar tree 18 ins. dia
- 62.23 a White Gum 17. " "
- 80.00 a post from which a White Ash 15 ins. dia.
bears S 21 W 39 lbs. dia. & a W. Ash 6 ins. dia
N 83 W 19 lbs. dia. Land and timber similar
to the preceding mile

North Between Sec. (No. 34 & 35

- 4.50 Indian creek bears East but little water 250 lbs. wide
- 15.00 the N. side of the bottom
- 24.9 a Black Oak on the N. side of a ridge
- 26.75 a Water course 25 lbs. wide bears N. no water
- 50.25 a very deep gutter bears N. no water
- 61.8 a Buck 9 ins. dia

J. S. R. 3 W. 1st Mer

- 66.82 a White Hickory 15 ins. dia
 80.00 a post corner of sec. (No. 26, 27, 34 & 35 Town
 3 Range 3 W) from which a Blue Ash 9 ins. dia
 bears N 55° E 76 lbs. dia. & a Hickory of same dia.
 bears S 83° E 34 lbs. dia. This mile exceedingly
 broken with high ridges & deep gutters 1st rate
 land, timber Oak, Ash, Sugar tree, Elm, Beech,
 Walnut, Hickory &c. much Spice

North Between sec. No. 26 & 27

- 12.75 a Water course 25 lbs. wide bears S. N. no water
 34.00 another 8 lbs. wide bears S. E. no water
 67.00 another 10 " " " "
 71.50 Two small gutters join & bears West
 73.88 a Sugar tree 40 ins. dia
 80.00 a post. this mile 1st rate land, moderate
 ridges fit for the production of small grain
 timber & under brush, the same as the preceding
 Monday Dec. 8th 1880

North Between sec. No. 32 & 33

- 5.00 a Water course 6 lbs. wide bears S. E. no water
 6.75 a " " 8 " " " " S. E. " "
 15.67 a Hickory 15 ins. dia.
 32.40 a Water course 5 lbs. wide bears S. W. no water
 44.68 a White Oak 40 ins. dia.
 55.37 a Sugar tree 9 " "
 60.12 a Water course 8 lbs. wide bears S. W. no water
 80.00 a post from which a Sugar tree 44 ins. dia. bears
 S 32° W 3 lbs. dia. & a Blue ash 5 " " "
 N 42° E 24 lbs. dia. This mile 2^d rate land,
 moderate ridges fit for the production of
 small grain &c. timber Oak, Oak, Elm, Beech,
 Sugar tree, Walnut, Lyrum &c. Spice Briers &c.

North Between sec. No. 28 & 29

J. 3 R. 3. W. 1st Mer.

- 11.00 South branch of Indian creek 100 Yds. wide, little water
 17.34 a White Oak 36 ins. dia.
 25.95 " Hickory tree 10 " "
 34.75 a Lyr. m tree 15 " "
 41.00 South side of the main branch of Indian creek
 bearing S. E. 5.30 Yds. wide, but little water crossed
 the channel to the N. Bank
 50.81 a Black 18 ins. dia. on the S. of a ridge
 61.50 a gutter bearing W. thence up ^{side} gutter to a
 70.25 Poplar tree 28 ins. dia. on the W. Bank
 80.00 a post. This mile Prate land, all ridges & deep
 gutters & water courses, fit for the production of small
 grain, timber & under brush the same as the preceding

East Between Sec. No. 19 & 30 J. 3 R. 2. W.

- 19.00 the West branch of Indian creek 50 Yds. wide, bears S. E.
 44.75 a Hickory tree 5 ins. dia.
 53.97 a B. Oak tree 26 ins. dia.
 61.50 top of a steep bank descending to the branch
 63.75 West Branch of Indian creek bears S. E.
 80.00 a post from which a Hickory 6 ins. dia. bears
 N 10 W 730 Yds. dia. & a Sugar tree 10 ins. dia.
 bears S E 11 Yds. dia. This mile 2^d Prate land, much
 broken, all ridges & deep gutters, timber Oak. Oak
 Elm, Birch, Sugar tree Lyr. m & Spruce & Pines

East Between Sec. No. 20 & 29. J. 3 R. 3 W.

- 0.75 a Gutter bears N no water
 3.00 a Sugar tree 11 ins. dia.
 18.50 main branch of Indian creek 200 Yds. wide, little water
 32.00 a Water course 15 Yds. wide, bears S. no water
 37.62 a " " 8 " " " J. W. " "
 48.70 a Honey Locust tree 22 ins. dia.
 57.25 a Water course 10 Yds. wide bears S. W. no water
 60.35 a Sugar tree 8 ins. dia.
 79.34 a Poplar tree 56 ins. dia.

T. 3 R. 3 W. 1st Mer

80.99 Intersected the line run from corner of Sec. No. 32 & 33
T. 3 R. 3 W. 176 lbs. N. of the measure, here fixed a
post, from which a Poplar 16 ins. dia. bears N 3 W
43 lbs. dis. - This mile 2^d rate land uniformly ridges
& deep gutters. Timber Ash, Oak, Elm, Buck, Sugar tree
Lynx &c. underbrush Spice & green briars
marked the trees by the plan

North Between Sec. (No. 20 & 21) T. 3 R. 3 W.

10.73 an ash tree 24 ins. dia
32.5 a Poplar tree 36 " "
48.29 a Buck tree 17 " "
80.00 a post from which a Hickory 5 ins. dia. bears
N 59 W 29 1/2 lbs. dis. & a Sugar tree 8 " " "
53 1/2 lbs. 67 lbs. dis. This mile prime 2^d rate land
large ridges & some deep gutters bearing N. E. & East.
no water. timber - the same as the preceding

North Between Sec. (No. 16 & 17)

1.00 a deep water course bears E. no water
9.00 a " " " " E " "
17.00 another water course bears East, no water
20.81 a Sugar tree 10 ins. dia.
24.50 a Water course 15 lbs. wide, bears E. no water
33.75 the N. bank of Indian creek 100 lbs. wide bears S. E. little water
41.50 a Sugar tree 12 ins. dia
53.83 a White Oak tree 12 ins. dia
75.16 a " " " 17 " "
80.00 a post, this mile uniformly ridges & deep gutters, land
3^d rate. timber Ash, Oak, Elm, Sugar tree, Hickory, Lynx &c
Spice & briars — Dec. 10th 1800

East Between Sec. (No. 21 & 28) T. 3 R. 3 W.

20.50 a Water course 8 lbs. wide, no water, meanders on the line
33.50 a branch of Indian creek 50 lbs. wide bears S. a rapid clear stream
45.89 a B. Oak 18 ins. dia. on S. side of a ridge, Feb. 1st 1801

T. 3 R. 3 Mt. 1st Mer.

- 60.60 a White Ash tree 24 ins. dia.
 80.00 a post from which a Blue Ash 8 ins. dia. bears S
 52 E 43 lbs. dia. & a White Oak (forked) 30 ins. dia.
 bears N 36 W 27 lbs. dia. This mile 2nd rate land, all
 ridges, proper for the production of small grain,
 Timber Ash, Oak, Hickory, Elm, Poplar, Walnut.
 Sugar tree &c. Spice & Prickly ash

East Between Sec. No. 92 & 97

- 35.00 East branch of Indian creek 50 lbs. wide, bears
 S. West, a handsome rapid stream
 39.30 a White Walnut 26 ins. dia.
 45.00 a gutter bears N. W. no water, large ridges each side
 55.47 a Poplar on W. Bank of a gutter, that bears N. W.
 71.96 a Black Oak 28 ins. dia. on a ridge
 83.50 Intersected the line run North from corner of Sec.
 No. 34 & 35 Town 3 Range 3, 2.36 Mts. North
 of the measure, then fixed a post, from which a
 Sugar tree 6 ins. dia. bears N 11 W 32 lbs. dia. & a
 Blue Ash 8 S 11 E 18
 This mile good 2nd rate land fit for small grain &c.
 timber & under brush the same as the preceding.
 Marked & numbered to the plan

East Between Sec. No. 95 & 96

- 2.85 a Blue Ash 26 ins. dia
 21.76 a deep gutter bears N. a little water
 43.83 a Hickory 32 ins. dia. on W. side of a ridge
 52.50 a large number of prickly shrubs, the prickles in bunches
 80.00 a post, from which a Hickory 8 ins. dia. bears S 18 E
 18 lbs. dia. & a Buck 9 ins. dia. bears N 21 W 39 lbs.
 dia. This mile all ridges 2nd rate land, proper for
 the production of small grain flax &c. Timber
 Ash, Oak, Sugar tree, Locust, Buck, Hickory, Lym
 Walnut Elm &c — much Spice brush

East Between Sec. No. 24 & 25

- 5.42 a White Oak 34 ins. dia.
 24.27 a White Oak 36 ins. dia. on a ridge, 2nd rate good land
 36.7 a White Oak 28 ins. dia. on N. side of a large ridge
 50.50 a Water course 10 lbs. wide bears S.E. no water
 59.12 a stream 8 lbs. wide bears S
 72.00 Intersected the line ran South from corner of
 Town 3 & 4 Range 3 & corner of Town 2 & 3 R. 2 -
 14.50 North of the 1/2 mile post, here fixed a
 post from which a Mulberry 12 ins. dia. bears
 N 47 E 24 lbs. dis. & a Sugar tree 12 " " "
 S 49 W 34 lbs. dis. This mile good 2nd rate land,
 proper for small grain, Timber & under brush
 the same as the preceding mile
 marked the trees by the plan

North Between Sec. No. 22 & 23

- 13.96 a Lyrus 15 ins. dia. on a brushy ridge
 25.00 East branch of Indian creek bears N 20 W. a
 rapid stream, has water enough for a mill
 33.67 a Sugar tree 14 ins. dia. on a Brushy ridge
 53.77 a W. Oak 48 " " " " "
 75.28 a gutter bears East (no water)
 80.00 a post corner of Sec. No. 14, 15, 22 & 23, from
 which a Hickory 8 ins. dia. bears N 35 E 41 lbs.
 dis & a Buck 7 " " " S 35 W 50 "
 " — This mile good 2nd rate land, moderate ridge
 timber - Ash, Oak, Elm, Buck, Sugar tree, Hickory &c.
 exceedingly covered with small growth of Dogwood
 Buck, Ash, Spice, P. Ash &c.

North Between Sec. No. 14 & 15

- 00.38 an Oak 15 ins. dia. on N. of a gutter
 15.00 a White Oak 26 ins. dia. on a ridge
 36.42 a gutter bears East
 40.00 a Buck 11 ins. dia. on South of a ridge

S. 3 R. 3 / W. 1st Mer.

48.45 a White Oak 26 ins. dia, level brusing land
 80.00 a post, (This mile 2nd rate land, all broken
 with ridges & deep gutters. Timber Oak, Ash,
 Elm, & Beech, Sugar tree, Hickory Poplar &c.
 Feb. 3rd Saplings, Dogwood & small Beech, Hickory &c
 1801 Spruce & Briers

West Between Sec. No. 12 & 13

22.00 a stream 12 hrs. wide bears S.W. but little water.
 24.34 a Beech 20 ins. dia. on E. side of a ridge
 37.64 a gutter bears South, but little water
 43.00 a gutter bears S.W.
 48.28 a branch of Indian creek bears S. 40 hrs. wide,
 a rapid stream.
 71.58 a White Oak 20 ins. dia
 80.00 a post corner of Sec. No. 11. 12. 13 & 14,
 from which a Beech 6 ins. dia. bears S 52° E
 37 hrs. dis. & a White Oak 12 ins. dia. bears
 N 83° W 20 hrs. dis. — This mile good 3rd rate land,
 fit for the production of small grain &c. timber
 generally White Oak, some Beech & Sugar tree,
 saplings of various kinds & a abundance of green
 briers.

West Between Sec. No. 11 & 14

00.70 a White Oak 26 ins. dia
 2.50 a gutter bears S. some little water
 12.96 a " " S. " " "
 40.38 a small stream bears S. 6 hrs. wide
 52.47 a Beech 9 ins. dia — level land
 71.63 Intersected the line ran North from the corner
 of Sec. (No. 22. 23. 26 & 26. ^{Chs. hrs.} 11.58 South of
 the measure, here fixed a post corner of Sec.
 No. 10. 11. 14 & 15. from which a hemlock 10 ins. dia.
 bears N 76° E 28 hrs. dis. & a Maple 10 ins. dia. bears
 S 79° W 36 hrs. dis. — This mile level White

Oak land, fit for the production of small grain,
much covered with green briars—

Marked & numbered the trees by the plan

North Between Sec. no. 10 & 11

- 12.11 a stream 15 lbs. wide, bears W. but little water
16.00 a Hickory 20 ins. dia.
46.58 a White Oak 15 " "
55.37 a White Oak 24 ins. dia. on East bank of a
stream that has continued near the line 9.00
60.50 a small stream 8 lbs. wide bears W. 200 lbs. Mineral S.
66.64 a Hickory 10 ins. dia — level land
71.50 same stream above crosses the line from W. to E.
76.71 an Elm 19 ins. dia.
77.32 same stream above mentioned crosses the line to the W.
80.00 a post corner of Sec. No. 2, 3, 10 & 11, from which
a Hickory 5 ins. dia. bears N 60 E 15 lbs. dia. & a
sugar tree 10 ins. dia. bears S 55 W 5 lbs. dia. This
mile good 3rd rate land, level & fit for the production
of small grain — timber — Oak, Elm, Sugar tree,
much covered with saplings & briars

February 7th 1801

North Between Sec. No. 2 & 3

- 12.7 a White Oak 24 ins. dia. level W. Oak land
25.00 a Poplar 12 ins. dia. level beautiful land
55.42 a White Oak 20 ins. dia. level wet land
72.98 a Poplar 14 ins. dia. on N. Bank of a water course,
that bears E. into the S. branch of Longberry.
80.00 a post corner of Sec. No. 2 & 3 Town 3 Range 3
This mile exceedingly level 3rd rate. wet clay soil.
timber Oak Poplar Hickory, Maple, Beech, Gum,
some sugar tree, many saplings, green briars &
Huckleberry bushes

West Between Sec. No. 10 & 15

S. 3 R. 3. W. 1. Mer.

- 10.43 a White Oak 30 ins. dia
 19.00 a stream 12 lbs. wide bears S. W
 27.50 a White Oak 17 ins. dia.
 35.14 a stream 18 lbs. wide bears South, but little water
 43.50 a White Oak 17 ins. dia
 60.33 a stream 8 lbs. wide bears South, from the
 stream before mentioned level W. Oak land
 80.00 a post corner of Sec. no. 9. 10. 15 & 16, from
 which a White Oak 18 ins. dia. bears N 53 W
 18 lbs. dia. & another White Oak 28 ins. dia.
 bears S 38 E 55 lbs. dia. This mile 3^d rate
 land, large flat ridges, clay soil, timber
 White & Black Oak, Hickory, Buck, some
 Sugar tree, Maple, Gum &c. much covered
 with saplings, some Spice and abundance
 of green briars

West Between Sec. no. 9 & 16

- 8.00 a White Oak 18 ins. dia
 38.20 a water course 8 lbs. wide, bears S. W. no water
 40.56 the middle branch of Indian creek 60 lbs. wide,
 bears South a rapid stream, fall 15 inches
 63.50 a stream 15 lbs. wide runs S. E. little water
 82.44 Intersects the line ran North from corner
 of Sec. no. 20. 21. 28 & 29 S. 3. Range 3.
 14.00 chs South of the measure from said
 corner, here fixed a post from which a Hickory
 10 ins. dia. bears S 76 E 25 lbs. dia. & a Black
 Oak 5 ins. dia. bears N 44 W 22 lbs. dist.
 This mile 3^d rate land, much broken with
 large ridges & deep gullies, timbered like the
 preceding, but has more Spice bush,
 & marked &c.

West Between Sec. no. 8 & 17

- 15.50 Top of a high steep bank

19.25 Indian creek 80 lbs. wide, bears S.W. a rapid stream and stony channel

42.8 a Hickory 18 ins. dia. very brush woods

65.16 a White Oak 26 ins. dia. - much sapling timber

80.00 a post corner of Sec. P. No. 7. 8. 17 & 18 from which a

Maple 7 ins. dia. bears S 35 E 14 lbs. dia. & another
do 15 " " " N 49 W 22 lbs. dia. - This
mile 3rd rate land much broken, timber generally
Oak, Sugar tree, Poplar, maple, Hickory, some
Walnut - abundance of saplings, Spruce, green
pines &c.

West Between Sec. P. No. 7 & 18

11.00 a stream 6 lbs. wide bears S.E. but little water

28.40 a Hickory 14 ins. dia

32.58 a stream 14 lbs. wide bears S. gentle current

50.00 a do 6 " " " S 20 E

53.75 a White Oak 24 ins. dia

66.23 Intersected the Boundary line, here fixed a post
between Sec. P. No. 7 & 18 from which a Hickory
11 ins. dia. bears S 55 E 13 lbs. dia. & a Hickory 14 ins.
dia. bears N 61 W 39 lbs. dia. This fraction remar-
-kably covered with saplings, Spruce & Gum, Pines
& much broken, The soil & timber the same
as the mile preceding - Marked the trees by the plan

North Between Sec. P. No. 8 & 9

27.50 an Oak 18 ins. dia. on N. Bank of a water
course bears S.E. but little water

51.53 a White Oak 26 ins. dia

55.34 a stream 6 lbs. wide bears S.E. but little water

66.75 a gutter bears S.E. but little water

80.00 a post corner of Sec. P. No. 4. 5. 8 & 9 - from
which a Hickory 13 ins. dia. bears N 54 E 52
lbs. dia. & a White Oak 9 ins. dia. bears N 69 W
30 lbs. dia. This mile 3rd rate land, strong clay

S. 3 R. 3 W. 1st Mer.

Soil, moderate ridges, fit for the production of
small grain &c. Juniper, Oak, Ash, Beech, Poplar
Gum, Hickory, many saplings & green briars

North Between Sec. (No. 4 & 5

- 1.00 a pond
5.50 a Gum 18 ins. dia. level land
30.35 a Hickory 20 ins. dia. level land & fine timber
53.10 a Spanish Oak 15 ins. dia.
53.50 a Stream 6 lbs. wide, bears W. but little water
57.56 a Black Walnut 16 ins. dia.
71.00 a gutter bears S. W. with little water
80.00 a post corner of Sec. (No. 4 & 5 from which a
White Oak 40 ins. dia. bears S 5 E 31 lbs. dia.
S. & S. Do. 30 N 52 W 62

This mile the land is flat, the surface much
broken, with ridges & sink holes. Covered like
the preceding mile & abundance of green
briars—Marked the trees by the plan.

Surveyed by
Benjamin Chambers Jr. Sur.
A. D. 1860.

Subdivisions of 2 mile block
S. 1, No. 3 R. (No. 3. W.

North On 1 Random between Sec. (No. 11 & 12

- 35.50 a Brook 7 lbs. wide, runs S. E.
40.00 Set the temp. 1/4 Sec. post
80.00 Set temp. center post—Level land, Oak,
Hickory, Beech, Poplar, Dogwood & green briars

North Continued North

- 5.00 a Brook 12 — East
40.00 Set temp. 1/4 Sec. post
82.12 Fell 11.13 lbs. West of corner to Sec. (No. 1 & 2
3rd rate level & wet, timber as above

G. B. R. B. W. 1st Mer.

South Corrected between Sec. No. 142 and set temp.
 $\frac{1}{4}$ sec. post at average distance on true line
 Corrected between Sec. No. 11412 & set temp. $\frac{1}{4}$
 sec. post at average distance on true line

East On Random between Sec. No. 2411
 3.00 a bush 10 — north
 40.00 set temperature $\frac{1}{4}$ sec. post
 75.50 to N & S line — a bush 12 — S. East

East Continued between Sec. No. 1412
 12.00 a bush 7 — S. E
 110.00 set temp. $\frac{1}{4}$ sec. post
 66.76 fell 63 lbs. South of post corner to Section
 no. 1412 — 3rd rate land, level & well timbered —
 Oak, Poplar, Beech, Dogwood & green briars

West Corrected line between Sec. No. 1412 and set
 $\frac{1}{4}$ sec. post on true line at average distance from
 which a W. Oak 18 ins. dia. bears S 34 W 39 lbs. dis.
 Va W. Oak 22 ins. dia. bears N 74 E 20 lbs. dis.
 Continued on true line & fell 30 lbs. North of
 temp. post, moved it to centre corner to Sec.
 no. 1. 2. 11412 from which a W. Oak 36 ins. dia.
 bears S 57 W 4 $\frac{1}{2}$ lbs. dis. Va R. Elm 6 " "
 " N 41 W 5 " "

North Traveled North between Sec. no. 142 & set
 $\frac{1}{4}$ sec. post at average distance from which a
 W. Oak 38 ins. dia. bears N 83 W 4 $\frac{1}{2}$ lbs. dis.
 Va Do 20 " " " N 78 E 19 lbs. dis.
 May 27th 1865.

South Traveled South between Sec. no. 11412
 and moved $\frac{1}{4}$ sec. post to average distance
 from which a W. Oak 20 ins. dia. bears N 76 W

S. 3 R. 3 W. 1. Mer.

27 lbs. dis. Va Hickory 5 ins. dia. bears N 46 E
21 lbs. distant.

West Continued West from center on true line,
and set $\frac{1}{4}$ sec. post at average distance, from
which a Hickory 12 ins. dia. bears N 10 W 2 lbs.
dis. Va Hickory 18 ins. dia. bears S 52 E 32 lbs. dis
Continued to corner of Sec. No. 2. 3. 10 & 11

West On Random between Sec. No. 3 & 10

22.50 a Post 10 — South

40.00 Set temp. $\frac{1}{4}$ sec. post

72.00 a Post 10 — S. West

80.00 Set temp. center post — Generally level 2^d.
rate land. Oak, ash, maple, Hickory, green
pines &c.

West Continued West between Sec. No. 4 & 9

2.80 a Post 5 — South

40.00 Set temp. $\frac{1}{4}$ sec. post

52.00 a Post 20 lbs. wide, course South

70.50 a Do 5 " " " "

84.45 Tell 86 lbs North of post corner to Sec. No.
4. 5. & 9 — 2^d rate land, moderate ridges
ash, Oak, Buck, maple, Spruce, Dogwood &
green pines —

East Connected between Sec. No. 4 & 9 & set $\frac{1}{4}$ sec.
post on true line at average distance

Connected East between Sec. No. 3 & 10 & set
 $\frac{1}{4}$ sec. post on true line at average distance

South On Random between Sec. No. 3 & 4

40.00 Set the temp. $\frac{1}{4}$ sec. post

81.69 To E & W. line, Good 3^d rate level land, Oak,
Buck, Poplar, Green pines &c.

South Continued South

40.00 Set temp. $\frac{1}{4}$ sec. post

80.17 Fell 21 lbs. East of post corner to Sec. No.
9, 10, 13 & 16 — Land & timber same as before.
May 28th 1805

North Computed between Sec. No. 9 & 10 & set $\frac{1}{4}$ sec. post
on true line at average distance from which
a Birch 15 ins. dia. bears N 13 E 23 lbs. dis. &
a Maple 6 " " " S 76 W 23 " "
Continued north & fell 173 lbs. West of temp.
post, moved it to centre corner of Sec. (No. 3, 4,
9 & 10, from which a Birch 9 ins. dia. bears
S 24.30 E 49 lbs. dis. & a Do 16 " " "
N 30 W 2 lbs. dis.

East Traveled East between Sec. (No. 3 & 10 and moved
 $\frac{1}{4}$ sec. post to average distance from which a Gum
9 ins. dia. bears N 43 E 10 lbs. dis. & a W. Oak 24
ins. dia. bears S 47 W 57 lbs. dis.

West Traveled West between Sec. (No. 11 & 9 & moved
 $\frac{1}{4}$ sec. post to average distance from which a
W. Oak 16 ins. dia. bears N 46 W 26 lbs. dis. & a
Spanish Oak 15 ins. dia. bears S 17 W 26 lbs. dis.

North Continued north between Sec. (No. 3 & 4 & set
 $\frac{1}{4}$ sec. post at average distance from which
a Dogwood 8 ins. dia. bears N 87 W 28 lbs. dis. &
a Do 3 " " " N 41 E 19 $\frac{1}{2}$ " "
Continued to corner of Sec. (No. 3 & 4

West Having no post to run to on the boundary
proceeded to mark the line between Sec. (No. 5
& 8 from corner of Sec. (No. 4, 5, & 9

S 3 P. 3 W. 1st Mer.

24.00 a Brook 10 lbs. wide, runs S.W.
 32.00 a Do & " " " South
 40.00 Set temp. 1/4 sec. post
 61.00 Indian creek 50 lbs. wide, runs S.E. gentle current
 69.00 To a high hill rising from the centre
 80.00 Set temp. post

~~North~~ Traveled North & run Random line
 South Between Sec. (No. 5 & 6

18.50 To Indian creek 50 - D.W. gentle current
 26.15 Do " " S.E.
 35.00 Do " " S.W.
 40.00 Set the temp 1/4 sec. post
 45.00 To panel creek runs S. East
 82.67 To E & W. line - 3rd rate, much broken; Oak
 Poplar &c. May 29th 1855.

South Continued South between Sec. (No. 7 & 8
 40.00 Set temp. 1/4 sec. post
 80.83 Fell 34 lbs. West of post corner to Sec. (No.
 7.8. 17 & 18 - 2nd rate land, very level and fit
 for farming - Ash. Oak. Buck. Poplar &c.

North Corrected between Sec. (No. 7 & 8 & set 1/4 sec.
 post at average distance on true line, from
 which a Poplar 24 ins. dia. bears S 68 E 42 lbs.
 dis. & a Sugar 7 " " " N 31 E 8 lbs. dis.
 continued on true line & fell 181 W. of temp.
 post, moved it to centre corner of Sec. (No. 5. 6. 7.
 & 8 from which a W. Oak 24 ins. dia. bears N 81 E
 15 lbs. dis. & a W. Oak 10 ins. dia. bears S 70 W
 39 lbs. dist.

East Traveled East between Sec. (No. 5 & 8 and set
 1/4 sec. post at average distance, from which a
 Sugar 9 ins. dia. bears S 23 E 9 lbs. dis. & a W.

S. 3 R. 3 W. 1 N. 1

Cash 30 ins. dia bears $N 57^{\circ} W 7$ Mts. dis.

North Continued North on true line between Sec. No. 5 & 6 & set $\frac{1}{4}$ sec. post, from which a Spruce 10 ins. dia. bears $N 64^{\circ} E 30$ Mts. dis. & an Ironwood 5 ins. dia. bears $N 72^{\circ} W 17$ Mts. dis.

Continued North to corner of Sec. No. 5 & 6

West Ran between Sec. No. 5 & 6

33.00 a Brook 8 Mts. wide runs South

40.00 Set the temp. $\frac{1}{4}$ sec. post

40.50 a Brook 8 Mts. wide runs South

51.60 a W. Oak 26 ins. dia

55.35 To Indian Boundary, set post from which a W. Oak 18 ins. dia. bears $N 70^{\circ} E 28$ Mts. dis. & a Do. 18 " " " $N 88^{\circ} W 36$ " "

Returned & set post at average distance, from which a Spruce 12 ins. dia. bears $N 70^{\circ} E 24$ Mts. dis. and a Do 10 " " " $N 52^{\circ} W 19$ " "

South On Random between Sec. No. 17 & 18

40.00 Set the temp. $\frac{1}{4}$ sec. post

80.00 Set temp. centre post - Land much broken, exceedingly covered with Spruce & other brush

Continued between Sec. No. 19 & 20

40.00 Set the temp. $\frac{1}{4}$ sec. post

62.00 a branch of Indian creek 60 Mts. wide - D.C.

69.19 fell 235 Mts. E. east of corner of Sec. No. 19. 20. 21 & 36 - Land same as before

North Connected line between Sec. No. 19 & 20 & set temp. $\frac{1}{4}$ sec. post at average distance on true line
Connected between Sec. No. 17 & 18 & set temp. $\frac{1}{4}$ sec post at average distance on true line

D. 3 P. 3 N. 1. 7th Mer

West Ran true line between Sec. (No. 17 & 20

40.00 set the temp. $\frac{1}{4}$ sec. post

44.00 a Poplar 18 ins. dia

64.26 a Gum 20 " "

79.10 To N & S. line, set post corner to Sec. No. 17.
18, 19 & 20, from which an Elm 5 ins. dia. bears
N 64° W 21 lbs. dis. & an Elm 10 " " "
S 61° E 11 lbs. dis.

West Continued West between Sec. (No. 18 & 19

25.00 a creek 25 lbs. wide runs S 70° W

35.96 a W. Oak 24 ins. dia

40.00 set temp. $\frac{1}{4}$ sec. post

55.00 a Brook 6 lbs. wide runs S. W.

59.00 Indian creek 50 lbs. wide runs S. E.

66.09 an Ash 30 ins. dia. on the E. side of a large ridge

78.89 To Boundary line, set post from which a
Sugar 6 ins. dia. bears S 27° E 34 lbs. dis. & a
Mulberry 10 " " " N 62° W 31 " "

2nd rate land, all ridges, ash, Oak, Elm, Gum
Sugar May 31st 1805.

Returned & set $\frac{1}{4}$ sec. post at average distance
from which a W. Oak 6 ins. dia. bears N 17° W
14 lbs. dis. & a Do 12 " " " S 17° W 21 lbs.

set $\frac{1}{4}$ sec. post between Sec. No. 17 & 18 at
average distance on true line from which a
Blue Ash 8 ins. dia. bears N 55° E 9 lbs. dis. & a
Hickory 6 " " " S 1° W 29 " "

Returned between Sec. (No. 19 & 20 & set $\frac{1}{4}$ sec.
post at average distance on true line, from
which a Beech 20 ins. dia. bears N 80° E 2 lbs. dis
& a Do. 10 " " " S 80° W 20 " "

Then set post at average distance on true

G. B. R. B. W. 1st Mer. s

line between Sec. (No. 17 & 20 from which a W.
Oak 18 ins. dia. bears N 33 W 5 1/2 hrs. dis. & a
Peach 4 " " " S 56 E 5 hrs. dis.

East On Random between Sec. (No. 14 & 23
Had to go to the E. side of the Town for provisions

23.00 a Brook & Mrs. vine runs East
40.00 Set the temp. 1/4 sec. post
70.50 East branch of Indian creek 60 hrs. wide - P. W.
80.00 Set temp. center post - Land much broken, Oak,
Peach Sugar, exceedingly covered with Spice &
other brush

East Continued East between Sec. (No. 13 & 24

40.00 Set the temp. 1/4 sec. post
72.54 fell 13.06 hrs. North of post. All ridges large
& fit for farming - 2^d rate land, fine Oak timber
& but little brush

West Corrected between Sec. (No. 13 & 24 & set temp.
1/4 sec. post on true line at average distance
Corrected between Sec. (No. 14 & 23 & set temp. 1/4
sec. post on true line at average distance
June 1st 1805

South On Random between Sec. (No. 13 & 14

40.00 Set temp. 1/4 sec. post
69.30 Do a branch of Indian creek 30. P. W.
75.30 No East & West line

South Continued South

15.50 a Brook & Mrs. vine runs P. West
40.00 Set the temp. 1/4 sec. post
74.42 fell 6.58 hrs. West of post corner to Sec. (No.
23. 24. 25 & 26 - 2^d rate land,illy, broken
with gutters &c. Oak, Oak Sugar tree, Michaux,

N. 3. R. 3 W. 1. Mer.

Dogwood & Spice &c

North Located between Sec. (No. 23 & 24) & set temp. $\frac{1}{4}$ feet post on true line at average dis. from which a Maple tree 10 ins. dia. bears S 70° W 3 lks. dis. & a Maple tree 5 " " " N 60° E 32 lks. dis. Continued the true line & fell 3.25 lks. W. of post moved it to centre cor. of Sec. (No. 13, 14, 23 & 24) from which a Hickory 12 ins. dia. bears N 70° W 16 lks. dis. & a ——— 5 ins. dia. bears S 44° E 30 lks. dis.

East Traveled East & set $\frac{1}{4}$ sec. post at average dis. on true line between Sec. (No. 13 & 24) from which a W. Oak 18 ins. dia. bears S 59° E 15 lks. dis. & a Beech 6 ins. dia. bears N 57° W 28 lks. dis.

Returned & set $\frac{1}{4}$ sec. post between Sec. (No. 14 & 23) on true line at average distance from which a Mulberry 7 ins. dia. bears S 37° W 33 lks. dis. & a Dogwood 5 " " " N 60° E 11 " "

North From centre on true line between Sec. (No. 13 & 14) set $\frac{1}{4}$ sec. post at average dis. on true line, from which a R. Oak 10 ins. dia. bears S 45° W 37 lks. dis. & a Gum 8 ins. dia. bears S 71° E 23 lks. dis. Continued to the corner of Sec. (No. 11, 12, 13 & 14)

West On Ran down between Sec. (No. 15 & 22)
 40.00 set the temp. $\frac{1}{4}$ sec. post, this $\frac{1}{2}$ mile pretty level
 63.50 a stream 50- S. W. between two high ridges
 70.00 a Do 30 South " " " "
 80.00 set temp. Sec. post. Very broken land, timber
 ash, oak, Hickory, Beech & Sugar tree,

Continued between Sec. (No. 16 & 21)
 40.00 set the temp. $\frac{1}{4}$ sec. post

S. 3 R. 3 N. 1st Mer.

64.50 a stream 50 lbs. wide, runs S. E. rapid current
 83 20 fell 40 lbs. — of the first corner to Sec. No. 16, 17.
 20 & 21 — Land same as above

East Connected between Sec. No. 16 & 21 & set $\frac{1}{4}$ sec. post
 at average dis. on true line. Monday June 3^d 1805

East Connected between Sec. No. 15 & 22 & set temp. $\frac{1}{4}$
 sec. post at average distance on true line

South On Random line between Sec. No. 15 & 16
 40.00 set the temp. $\frac{1}{4}$ sec. post
 66.82 to the N & S. line

South Continued the line South
 26.00 a Brook 50 lbs. wide, runs S. W
 40.00 set the temp. $\frac{1}{4}$ sec. post
 81.50 fell 282 lbs. East of post corner to Sec. No. 21, 22.
 27 & 28 — Land 1st rate. very broken

North Connected the line between Sec. No. 21 & 22 & set $\frac{1}{4}$ sec.
 post at average distance, from which an Oak 15 ins.
 dia. bears N 74° W 14 lbs. dis.

North Continued North on true line & fell 152 lbs. E. of
 post, moved to the centre cor. of Sec. No. 15, 16, 21 & 22
 from which an Elm 12 ins. dia. bears S 59° E 29 lbs. dis. &
 a Dogwood 5 ins. dia. bears N 48° E 12 lbs. dis.

East Thence East between Sec. No. 15 & 22 & moved $\frac{1}{4}$
 sec. post to average distance from which a W. Wal-
 nut 7 ins. dia. bears N 44° W 23 lbs. dis. & an
 Elm 4 " " " S 40° E 16 " "

West Thence West between Sec. No. 16 & 21 & moved $\frac{1}{4}$ sec.
 post to average distance from which a Mulberry 10
 ins. dia. bears N 46° W 31 lbs. dis. & a Sugar tree 15
 " " " S 21° E 29 lbs. distant

S. 3 R. 3 W. 1. 1st Mer.

North Continued from centre & set $\frac{1}{4}$ sec. post on true line from which a thickening 20 ins. dia. bears S 73 E 17 lbs. dis. & a sugar tree 41 " " " N 68 W 14 lbs. dis.
Continued north on true line to corner of Sec. No. 19, 20, 29 and 30

South On Random line between Sec. No. 29 & 30
40.00 Set temp. $\frac{1}{4}$ sec. post
43.00 Indian creek 80 lbs. wide, runs S. E.
60.00 a Brook 6 lbs. wide runs E. } These Brooks are
69.00 a Do 5 " " " E } in very deep gullies
75.50 a Do 8 " " " E }
80.00 Set temp. centre post - 2 rate land, hilly, ash Walnut, Oak & Buck

South Continued between Sec. No. 31 & 32
3.00 a Brook 15 lbs. wide runs N. E.
40.00 Set temp. $\frac{1}{4}$ sec. post
57.00 a Brook 12 lbs. wide runs S. E.
84.37 fell 29 lbs. East of corner of Sec. No. 31 & 32
Tuesday 4th June 1805

North Corrected between Sec. No. 31 & 32 & set temp. $\frac{1}{4}$ sec. post at average distance on true line
Corrected between Sec. No. 29 & 30 & set temp. $\frac{1}{4}$ sec. post at average distance on true line

West On Random between Sec. No. 29 & 32
5.00 a Brook 10 lbs. wide runs North
40.00 Set temp. $\frac{1}{4}$ sec. post
44.00 a Brook 8 lbs. wide runs East, crop turn here
82.22 Do. N & S line

West Continue West

J. 3 R. 3 W. 1st Mer.

23.00 a Brook 5 lbs. wide runs East

40.00 Set the $\frac{1}{4}$ sec. post

51.08 fell 46 lbs. N. of post — Those two miles very
hilly — Oak, ash, Buck, Sugar tree &c — much
Spruce & other brush

East Corner between Sec. (No. 30 & 31 and set $\frac{1}{4}$ sec.
post on true line at average distance from which
a Buck 6 ins. dia. bears N 38 E 28 lbs. dis. & a Blue
ash tree 14 " " " 150 W 10 lbs. dis.

Continued East on true line & fell 13 lbs. North
of temp. post. moved it to centre corner of Sec. (No.
29. 30. 31 & 32 from which a Lyrus 4 ins. dia. bears
N 45 E 13 lbs. dis. & a Hickory 5 ins. dia. bears N 50 W
19 lbs. distant

North Traveled North between Sec. (No. 29 & 30 and
moved $\frac{1}{4}$ sec. post to average distance, from which
a Sugar 14 ins. dia. bears N 45 E 21 lbs. dis. & a
Red Oak 18 " " " 162 W 12 " "

South Thence South between Sec. (No. 31 & 32 and
set $\frac{1}{4}$ sec. post at average distance, from which
a Blue Oak 18 ins. dia. bears S 55 E 5 lbs. dis. &
a Buck 18 ins. dia. bears S 55 E 5 lbs. dis. &
a Do 20 " " " N 78 W 51 " "

Returned & continued East on true line, between
Sec. (No. 29 & 32 & set $\frac{1}{4}$ sec. post at average dis.
from which a Blue Oak 14 ins. dia. bears N 11 W
9 lbs. dis. & a Lyrus 18 ins. dia. bears S 53 E 29 lbs.
distant

Done 5th 1805

Continued East to corner of Sec. 28. 29. 32 & 33

West On Random between Sec. No. 29 & 34

16.00 a Brook between two high ridges, S. W

S. 3 R. 3 W. 1st Mer.

40.00	Set the temp. $\frac{1}{4}$ Sec. post
62.00	Indian creek 68 lbs. South. rapid current
80.00	Set temp. centre post - 2 nd date. very hilly, Buck. Michigan, Oak, Locust, Walnut, Spruce &c.
West	Continued West between Secs. No. 28 & 33
15.00	Indian creek W. branch 70 - S. E. - rapid.
40.00	Set temp. $\frac{1}{4}$ Sec. post
82.25	Set 30 lbs. South of post Land & timber as above
East	Corrected between Secs. No. 28 & 33 and set temp. $\frac{1}{4}$ Sec. post on true line Corrected between Secs. No. 27 & 34 & set temp. $\frac{1}{4}$ Sec. post at average distance on true line
South	On Random between Secs. No. 27 & 28
40.00	Set temp. $\frac{1}{4}$ Sec. post
83.84	To East & West line
South	Continued South
11.00	Indian creek 60 lbs. wide - runs S. E.
40.00	Set temp. $\frac{1}{4}$ Sec. post
80.80	Set 14 lbs. West of post. 2 nd date land very hilly - large Poplars, Buck. Oak, Oak - much Spruce & other brush - June 6 th 1805
North	Corrected between Secs. No. 33 & 34 & set $\frac{1}{4}$ Sec. post on true line at average distance, from which a Sugar 12 ins. dia. bears N 66° W 21 lbs. dia. & a Buck 5 ins. dia. bears S 60° E 18 lbs. dia. Continued North & set 370 lbs. West of temp. post. moved it to centre corner of Secs. No. 27, 28, 33 & 34 from which a Red Oak 30 ins. dia. bears S 23° W 26 lbs. dia. & a Sugar 6 ins. dia. bears S 57° E 28 lbs. dia.

D. 3 R 3 W. 1st Mer.

West Thence West between Sec. (No. 28 & 33) & set $\frac{1}{4}$ sec. post at average distance from which a Spruce 18 ins. dia. bears N 27 W 27 lbs. dis. & a Blue Ash 18 " " " S 26 E 46 lbs. dis.

Thence East between Sec. (No. 27 & 34) & set $\frac{1}{4}$ sec. post at average distance from which a Beech 20 ins. dia. bears N 50 W 22 lbs. dis. & a W. Oak 18 " " " S 27 E 51 lbs. dis.

Continued North from centre on true line between Sec. (No. 27 & 28) and set $\frac{1}{4}$ sec. post at average distance from which a Beech 12 ins. dia. bears S 35 E 17 lbs. dis. & a Beech 18 ins. dia. bears N 16 W 18 lbs. dis. Continued North on true line to corner of Sec. (No. 21. 22. 27 & 38)

South On Random between Sec. (No. 25 & 26)

40.00 Set temp. $\frac{1}{4}$ sec. post

47.00 a Brook 10 lbs. wide course East

50.00 Set temp. centre post, 3^d rate broken land, Beech, Oak &c. Spruce & abundance of green briars

Continued between Sec. (No. 35 & 36)

35.00 a Brook 10 lbs. wide - runs South

37.00 same Brook — " P. W

40.00 Set the temp. $\frac{1}{4}$ sec. post

45.00 same Brook runs South

61.00 " " " P. E.

83.40 Full. 61 lbs. East of corner of Sec. No. 35 & 36
Friday, June 7th 1865

North Connected between Sec. (No. 35 & 36) and set $\frac{1}{4}$ sec. post at average distance on true line
Connected North between Sec. (No. 25 & 26) & set temp. $\frac{1}{4}$ sec. post at average distance on true line

J. B. R. B. W. 1st Mer

West On Random between N.P. No. 25 & 26
40.00 Set the temp. 1/10 sec. just
64.00 a point of a ridge, between two little brooks. 6-S.
71.30 N. N. & E. line

Continued between S. P. No. 26 & 35
16.48 a Brook 6 Mts. wide course South
24.56 a Do 8 " " " S. East
40.00 felt the temp. $\frac{1}{4}$ sec. post
48.40 a Brook 11 Mts. wide runs S. East.
65.00 a Do 5 " " " S. West
82.10 Fell 5.70 hrs. South of port - There two miles
Dipute, very hilly. Ash, Oak, Elm, Buck,
Sugar tree, Spruce & Green birch

East connected between Feet. (No. 26 & 35) set $\frac{1}{4}$ sec. post
on true line at average distance, from which
a Lyrm 14 ins. dia. bears $\text{N } 40^{\circ} \text{ W } 16 \text{ Mts. dis.}$ &
a Buck 5 " " " " $\text{N } 59^{\circ} \text{ E } 32 \text{ " "}$
Continued on true line and fell 178 lbs.
South of post, moved it to centre corner of Feet.
(No. 25. 26. 35 & 36) from which a Buck 7 ins
dia. bears $\text{N } 21^{\circ} \text{ W } 20 \text{ Mts. dis.}$ & a Buck 14 "
" " $\text{N } 48^{\circ} \text{ E } 5 \text{ Mts. dis.}$

Thence South between Secs. No. 35 & 36 and
 lot 14 sec. put at average distance, from which
 an Elm 12 ins. dia. bears $S 52 E 22$ lbs. dis. &
 an Promewood 5 ins. dia. bears $N 48 W 34$ lbs. dis.

Thence North between Sec. No. 25 & 26 &
 1/4 sec. post at average distance, from which
 a Buck 12 ins. dia. bears S 54 E 14 brs. dis.
 & a Co. 18 " " " " S 64 W 40 " "
 Continued East from centre on true line, &

J. 3 R. 3 W. 1st Mer.

229

Set 14 sec. post at average distance, from which
a Sugar tree 11 ins. dia. bears S 33 W 25 lbs. dis.
& a Beech 5 ins. dia. bears N 28 E 30 lbs. dis.

1805 Surveyed by
Benj. Chambers
Dep. Sur.

I certify that the foregoing Transcript of
the Field notes of Township No. 3 Range No. 3
West of the 1st Mer. has been compared with
the original in this office & found to be correct
Surveyor General's Office
Cincinnati, Feb. 4th 1844

D. P. Cairnes
Dep. Genl. S.